ตะแกรง และ อุปกรณ์ระบายน้ำทิ้ง

DRAINAGE FIXTURES





FLOOR DRAIN, FLOOR CLEAN-OUT, ROOF DRAIN, SCUPPER DRAIN, ETC.

TCP THAI CAST MANUFACTURING LTD., PART

DATE : 01/03/2024

FLOOR DRAIN MODEL : 103







- FLOOR DRAIN MODEL : 103
- ADJUSTABLE HEAD
- ROUND STRAINER
  (BRASS WITH CHROME PLAITING FINISH)
- CAST IRON BODY
- ANTI-ORDOR TRAP SEAL
- SIZE 2, 2-1/2

ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	A	C	D	W	Adjustment X	Adjustment Y	Free Area (mm^2)
2	110	135	125	51	20	80	3,100
2 1/2	110	135	125	51	20	80	3,100

FLOOR DRAIN MODEL : 111







- FLOOR DRAIN MODEL : 111
- ADJUSTABLE BY THREAD
- ROUND STRAINER
  (BRASS / BRASS WITH CHROME PLAITING FINISH)
- SCREW LOCK
- CAST IRON BODY WITH FLANGE
- SIZE 2, 2-1/2, 3, 4

ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	A	C	D	Adjustment X	Adjustment Y	Free Area (mm^2)
2	60	115	200	50	65	3,600
21/2	60	115	200	50	65	3,600
3	60	115	200	50	65	3,600
4	65	170	230	50	65	6,900

FLOOR DRAIN MODEL : 112






- FLOOR DRAIN MODEL : 112
- ADJUSTABLE BY THREAD
- ROUND STRAINER
  (BRASS / BRASS WITH CHROME PLAITING FINISH)
- SCREW LOCK
- CAST IRON BODY WITH FLANGE
- SCREEN CUP
- SIZE 2, 2-1/2, 3, 4

ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	A	C	D	Adjustment		Free Area
				X	Y	(mm^2)
2	60	115	200	50	65	3,600
21/2	60	115	200	50	65	3,600
3	60	115	200	50	65	3,600
4	65	170	230	50	65	6,900

FLOOR DRAIN MODEL : 112A







- FLOOR DRAIN MODEL : 112A
- ADJUSTABLE BY THREAD
- ROUND STRAINER
  (BRASS WITH CHROME PLAITING FINISH)
- CAST IRON BODY WITH FLANGE
- SCREEN CUP
- SIZE 2, 2-1/2, 3, 4

ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	A	C	D	Adjustment		Free Area
				X	Y	(mm^2)
2	55	120	130	30	45	4,100
21/2	55	120	130	30	45	4,100
3	55	120	130	30	45	4,100
4	60	170	180	35	55	6,500

FLOOR DRAIN MODEL : 112S






- FLOOR DRAIN MODEL : 112S
- ADJUSTABLE BY THREAD
- ROUND STRAINER
- (BRASS / BRASS WITH CHROME PLAITING FINISH)
- SCREW LOCK
- CAST IRON BODY WITH FLANGE
- SCREEN CUP
- SIZE 2, 2 1/2, 3, 4

ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	A	C	D	Adjustment X	Adjustment Y	Free Area (mm^2)
2	55	125	130	30	50	4,900
2 1/2	55	125	130	30	50	4,900
3	55	125	130	30	50	4,900
4	60	145	180	35	60	5,700

FLOOR DRAIN MODEL : 113







- FLOOR DRAIN MODEL : 113
- ADJUSTABLE BY THREAD
- ROUND STRAINER
  (BRASS / BRASS WITH CHROME PLAITING FINISH)
- SCREW LOCK
- CAST IRON BODY WITH FLANGE
- ANTI-ORDOR TRAP SEAL
- SIZE 2, 2 1/2, 3, 4

ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	A	C	D	W	Adjustment X	Adjustment Y	Free Area (mm^2)
2	60	115	200	42	45	65	3,600
2 1/2	60	115	200	42	45	65	3,600
3	60	115	200	42	45	65	3,600
4	65	170	230	67	50	75	6,900

FLOOR DRAIN MODEL : 113A







- FLOOR DRAIN MODEL : 113A
- ADJUSTABLE BY THREAD
- ROUND STRAINER
  (BRASS WITH CHROME PLAITING FINISH)
- CAST IRON BODY WITH FLANGE
- ANTI-ORDOR TRAP SEAL
- SIZE 2, 2-1/2, 3, 4

ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	A	C	D	W	Adjustment		Free Area (mm^2)
					X	Y	
2	55	120	130	38	30	50	4,100
2 1/2	55	120	130	38	30	50	4,100
3	55	120	130	38	30	50	4,100
4	60	170	180	67	35	60	6,500

FLOOR DRAIN MODEL : 113B







- FLOOR DRAIN MODEL : 113B
- ADJUSTABLE HEAD
- ROUND STRAINER
  (BRASS WITH CHROME PLAITING FINISH)
- CAST IRON BODY WITH FLANGE
- ANTI-ORDOR TRAP SEAL
- SIZE 2, 2 1/2, 3, 4

ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	A	C	D	W	Adjustment		Free Area (mm^2)
					X	Y	
2	85	135	220	51	50	100	3,100
2 1/2	85	135	220	51	50	100	3,100
3	85	135	220	51	50	100	3,100
4	128	181	320	95	50	135	6,200

FLOOR DRAIN MODEL : 122







- FLOOR DRAIN MODEL : 122
- ADJUSTABLE BY THREAD
- ROUND STRAINER
  (BRASS / BRASS WITH CHROME PLAITING FINISH)
- SCREW LOCK
- CAST IRON BODY WITH FLANGED AND CLAMP
- SCREEN CUP
- SIZE 2, 2-1/2, 3, 4, 6

ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	A	C	D	Adjustment		Free Area
				X	Y	(mm^2)
2	75	115	230	20	40	3,600
21/2	75	115	230	20	40	3,600
3	75	115	230	20	40	3,600
4	75	115	230	20	40	3,600
6	75	170	230	30	50	6,900

FLOOR DRAIN MODEL :122S







- FLOOR DRAIN MODEL : 122S
- ADJUSTABLE BY THREAD
- ROUND STRAINER
  (BRASS / BRASS WITH CHROME PLAITING FINISH)
- SCREW LOCK
- CAST IRON BODY WITH FLANGED AND CLAMP
- SCREEN CUP
- SIZE 2, 2-1/2, 3, 4

ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	A	C	D	Adjustment		Free Area
				X	Y	(mm^2)
2	75	145	230	30	45	4,900
21/2	75	145	230	30	45	4,900
3	75	145	230	30	45	4,900
4	75	145	230	30	45	4,900

FLOOR DRAIN MODEL : 122L







- FLOOR DRAIN MODEL : 122L
- ADJUSTABLE BY THREAD
- ROUND STRAINER
  (BRASS / BRASS WITH CHROME PLAITING FINISH)
- SCREW LOCK
- CAST IRON BODY WITH FLANGED AND CLAMP
- SCREEN CUP
- SIZE 2, 2-1/2, 3, 4

ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	A	C	D	Adjustment		Free Area
				X	Y	(mm^2)
2	75	195	230	30	50	6,900
21/2	75	195	230	30	50	6,900
3	75	195	230	30	50	6,900
4	75	200	270	30	50	12,100

FLOOR DRAIN MODEL : 124







- FLOOR DRAIN MODEL : 124
- ADJUSTABLE BY THREAD
- ROUND STRAINER
  (BRASS / BRASS WITH CHROME PLAITING FINISH)
- SCREW LOCK
- CAST IRON BODY WITH FLANGED AND CLAMP
- ANTI-ORDOR TRAP SEAL
- SCREEN CUP
- SIZE 2, 2-1/2, 3, 4, 6

ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	A	C	D	W	Adjustment		Free Area
					X	Y	(mm^2)
2	75	115	230	42	50	65	3,600
2 1/2	75	115	230	42	50	65	3,600
3	75	115	230	42	50	65	3,600
4	75	170	270	95	35	60	3,900
6	75	200	270	95	35	60	12,100

AREA DRAIN MODEL : 521







- AREA DRAIN MODEL : 521
- ADJUSTABLE BY THREAD
- ROUND STRAINER
  (BRASS / BRASS WITH CHROME PLAITING FINISH)
- SCREW LOCK
- CAST IRON BODY WITH FLANGED AND CLAMP
- SIZE 2, 2-1/2, 3, 4, 6

ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	A	C	D	Adjustment		Free Area
				X	Y	(mm^2)
2	75	150	230	30	50	5,200
21/2	75	150	230	30	50	5,200
3	75	150	230	30	50	5,200
4	75	195	275	50	65	11,400
6	75	195	275	50	65	11,400

FUNNEL FLOOR DRAIN MODEL : 721







- FUNNEL FLOOR DRAIN MODEL : 721
- ADJUSTABLE BY THREAD
- ROUND STRAINER
  (BRASS / BRASS WITH CHROME PLAITING FINISH)
- SCREW LOCK
- CAST IRON BODY WITH FLANGED AND CLAMP
- SIZE 2, 2-1/2, 3

ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	A	C	D	E	Adjustment		Free Area
					X	Y	(mm^2)
2	75	120	230	95	20	45	1,600
2 1/2	75	120	230	95	20	45	1,600
3	75	120	230	95	20	45	1,600

ROOF DRAIN MODEL : 211







- ROOF DRAIN MODEL : 211
- DOME (DOUBLE LACER)
- CAST IRON BODY
- SIZE 2, 2-1/2, 3, 4, 6, 8

ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	A	C	E	Free Area (mm^2)
2	80	225	75	13,500
21/2	80	225	75	13,500
3	80	225	75	13,500
4	80	225	75	13,500
6	95	310	110	34,800
8	85	365	125	56,100

ROOF DRAIN MODEL : 211A







- ROOF DRAIN MODEL : 211A
- DOME (DOUBLE LACER)
- CAST IRON BODY
- SIZE 2, 2-1/2, 3, 4,

ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	A	C	E	Free Area (mm^2)
2	80	225	75	9,900
21/2	80	225	75	9,900
3	80	225	75	9,900
4	80	225	75	9,900

ROOF DRAIN MODEL : 211B







- **ROOF DRAIN MODEL : 211B**
- DOME (DOUBLE LACER)
- CAST IRON BODY
- SIZE 2, 2-1/2, 3, 4,

ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	A	C	E	Free Area (mm^2)
2	80	225	90	12,400
21/2	80	225	90	12,400
3	80	225	90	12,400
4	80	225	90	12,400

ROOF DRAIN MODEL : 211E







- **ROOF DRAIN MODEL : 211E**
- DOME (SINGLE LACER)
  (CAST IRON / BRASS)
- CAST IRON BODY
- SIZE 2, 2-1/2, 3

ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	A	C	E	Free Area (mm^2)
2	75	160	125	14,200
21/2	75	160	125	14,200
3	75	160	125	14,200

ROOF DRAIN MODEL : 211L







- **ROOF DRAIN MODEL : 211L**
- DOME (DOUBLE LACER)
- CAST IRON BODY
- SIZE 2, 2-1/2, 3, 4

ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	A	C	E	Free Area (mm^2)
2	95	225	75	18,600
21/2	95	225	75	18,600
3	95	225	75	18,600
4	95	255	75	18,600

ROOF DRAIN MODEL : 212







- **ROOF DRAIN MODEL : 212**
- DOME (DOUBLE LACER)
- CAST IRON BODY
- SCREEN CUP
- SIZE 2, 2-1/2, 3, 4, 6, 8

ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	A	C	E	Free Area (mm^2)
2	95	225	75	18,600
21/2	95	225	75	18,600
3	95	225	75	18,600
4	95	255	75	18,600
6	100	310	110	34,800
8	95	370	125	56,100

ROOF DRAIN MODEL : 212B







ROOF DRAIN MODEL : 212B
DOME (DOUBLE LACER)
CAST IRON BODY
SCREEN CUP
SIZE 2, 2-1/2, 3, 4

ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	A	C	E	Free Area (mm^2)
2	80	260	90	9,900
21/2	80	260	90	9,900
3	80	260	90	9,900
4	80	260	90	9,900

ROOF DRAIN MODEL : 221







ROOF DRAIN MODEL : 221
ADJUSTABLE BY THREAD
DOME (DOUBLE LACER)
CAST IRON BODY WITH FLANGED AND CLAMP
SIZE 2, 2-1/2, 3, 4, 6, 8

ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	A	C	E	W	Adjustment		Free Area (mm^2)
					X	Y	
2	80	225	75	215	35	55	13,500
2 1/2	80	225	75	215	35	55	13,500
3	80	225	75	215	35	55	13,500
4	80	225	75	215	35	55	13,500
6	85	310	110	295	40	75	34,800
8	90	365	125	360	30	75	56,100

ROOF DRAIN MODEL : 221A







- ROOF DRAIN MODEL : 221A
- ADJUSTABLE BY THREAD
- DOME (DOUBLE LACER)
- CAST IRON BODY WITH FLANGED AND CLAMP
- SIZE 2, 2-1/2, 3, 4

ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	A	C	E	W	Adjustment		Free Area (mm^2)
					X	Y	
2	80	225	75	215	35	60	9,900
2 1/2	80	225	75	215	35	60	9,900
3	80	225	75	215	35	60	9,900
4	80	270	75	215	35	60	9,900

ROOF DRAIN MODEL : 221L






- ROOF DRAIN MODEL : 221L
- ADJUSTABLE BY THREAD
- DOME (DOUBLE LACER)
- CAST IRON BODY WITH FLANGED AND CLAMP
- SIZE 2, 2-1/2, 3, 4, 6, 8, 10, 12

ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	A	C	E	W	Adjustment		Free Area (mm^2)
					X	Y	
2	70	270	85	235	35	60	18,600
2 1/2	70	270	85	235	35	60	18,600
3	70	270	85	235	35	60	18,600
4	70	270	85	235	35	60	18,600
6	90	360	125	360	30	75	56,100
8	95	445	125	410	30	65	62,500
10	95	445	125	410	30	65	62,500
12	95	445	125	410	30	65	62,500

ROOF DRAIN MODEL : 231







- ROOF DRAIN MODEL : 231
- CAST IRON BODY WITH
  “INDUSTRIAL LACQUER PAINT” COATING
- SIZE 2”,21/2”,3”,4”,6”

DIMENSION (IN MM.)

PIPE SIZE Inch	A	B	C	D	FREE AREA mm^2
2	25	66	80	108	5,765
2 1/2	25	66	80	108	5,765
3	25	66	80	108	5,765
4	29	75	105	132	7,830
6	34	105	139	188	20,715

PLANTING AREA DRAIN MODEL : 412







- PLANTING AREA DRAIN MODEL : 412
- DOME (SINGLE LACER) BRASS
- BRASS BODY
- SCREEN CUP (NO SIZE 2 INCH)
- SIZE 2, 3, 4

ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	A	D	E	Free Area (mm^2)
2	45	120	40	5,700
3	45	120	40	8,200
4	45	150	40	12,600

SCUPPER DRAIN MODEL : 601






- SCUPPER DRAIN MODEL : 601
- STRAINER (CAST IRON)
- SCREW LOCK
- CAST IRON BODY
- SIZE 2, 2-1/2, 3, 4

ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	G	H	L	M	W	Free Area (mm^2)
2	45	115	60	95	185	7,800
21/2	45	115	60	95	185	7,800
3	45	115	60	95	185	7,800
4	45	115	60	95	185	7,800

SCUPPER DRAIN MODEL : 601A




- SCUPPER DRAIN MODEL : 601A
- STRAINER
  (BRASS / BRASS WITH CHROME PLAITING / STAINLESS STELL)
- SCREW LOCK
- CAST IRON BODY
- SIZE 1-1/2, 2, 2-1/2

ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	G	H	L	M	W	Free Area (mm^2)
11/2	30	70	55	45	120	4,200
2	30	70	55	45	120	4,200
21/2	30	70	55	45	120	4,200

SCUPPER DRAIN MODEL : 601L




- SCUPPER DRAIN MODEL : 601L
- STRAINER
  (CAST IRON / BRASS WITH CHROME PLAITING)
- SCREW LOCK
- CAST IRON BODY
- SIZE 2, 2-1/2, 3, 4, 6

ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	G	H	L	M	W	Free Area (mm^2)
2	65	155	75	105	275	19,000
21/2	65	155	75	105	275	19,000
3	65	155	75	105	275	19,000
4	65	155	75	105	275	19,000
6	65	155	75	105	275	19,000

SCUPPER DRAIN MODEL : 602




- SCUPPER DRAIN MODEL : 602
- STRAINER CAST IRON
- SCREW LOCK
- CAST IRON BODY
- SIZE 2, 2-1/2, 3, 4

ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	G	H	L	M	W	Free Area (mm^2)
2	45	95	55	80	185	10,300
21/2	45	95	55	80	185	10,300
3	45	95	55	80	185	10,300
4	45	95	55	80	185	10,300

SCUPPER DRAIN MODEL : 602L




- SCUPPER DRAIN MODEL : 602L
- STRAINER CAST IRON
- SCREW LOCK
- CAST IRON BODY
- SIZE 2, 2-1/2, 3, 4, 6

ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	G	H	L	M	W	Free Area (mm^2)
2	70	145	75	85	280	21,500
21/2	70	145	75	85	280	21,500
3	70	145	75	85	280	21,500
4	70	145	75	85	280	21,500
6	70	145	75	85	280	21,500

AIR VENT CAP MODEL : 801




- AIR VENT CAP MODEL : 801
- COVER CAST IRON
- SCREW LOCK
- CAST IRON BODY
- SIZE 2, 3, 4

ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	A	C	E
2	65	105	140
3	65	105	200
4	70	165	195

AIR VENT CAP MODEL : 803





- AIR VENT CAP MODEL : 803
- COVER CAST IRON
- SCREW LOCK
- CAST IRON BODY
- SIZE 2, 2-1/2, 3, 4, 6

ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	A	C	E
2	45	146	85
21/2	60	210	140
3	60	210	140
4	60	210	140
6	70	295	230

WIDE FLANGED ROOF DRAIN MODEL : 911







- **WIDE FLANGED ROOF DRAIN MODEL : 911**
- ROUND STRAINER
  (BRASS WITH CHROME PLAITING FINISH)
- CAST IRON BODY WITH FLANGE
- SIZE 2, 2-1/2, 3, 4, 6

ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	A	C	W	Free Area (mm^2)
2	105	220	310	11,000
21/2	105	220	310	11,000
3	105	220	310	11,000
4	105	220	310	11,000
6	105	220	310	11,000

WIDE FLANGED ROOF DRAIN MODEL : 912







- **WIDE FLANGED ROOF DRAIN MODEL : 912**
- ROUND STRAINER
  (BRASS WITH CHROME PLAITING FINISH)
- CAST IRON BODY WITH FLANGE
- SCREEN CUP
- SIZE 2, 2-1/2, 3, 4, 6

ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	A	C	W	Free Area (mm^2)
2	105	220	310	11,000
21/2	105	220	310	11,000
3	105	220	310	11,000
4	105	220	310	11,000
6	105	220	310	11,000

WIDE FLANGED ROOF DRAIN MODEL : 921







- **WIDE FLANGED ROOF DRAIN MODEL : 921**
- ROUND STRAINER
  (BRASS WITH CHROME PLAITING FINISH)
- CAST IRON BODY WITH FLANGED AND CLAMP
- SIZE 3, 4

ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	A	C	D	Adjustment		Free Area (mm^2)
				X	Y	
3	75	220	270	35	60	11,000
4	75	220	270	35	60	11,000

FLOOR CLEANOUT PVC MODEL : 311






- **FLOOR CLEANOUT PVC MODEL : 311**
- COVER (BRASS)
- PVC BODY
- SIZE 2, 2 1/2, 3, 4, 6, 8


ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	A	B
2	150	60
2 1/2	150	73
3	150	89
4	150	115
6	150	165
8	150	215

FLOOR CLEANOUT MODEL : 312








- FLOOR CLEANOUT MODEL : 312
- COVER (BRASS)
- CAST IRON BODY WITH FLANGE
- SIZE 2, 3, 4


ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	A	C	D	Adjustment	
				X	Y
2	220	65	125	35	45
3	220	90	150	35	45
4	220	110	165	35	45

FLOOR CLEANOUT MODEL : 312A









- FLOOR CLEANOUT MODEL : 312A
- COVER (BRASS)
- CAST IRON BODY WITH FLANGE
- SIZE 2, 3, 4

ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	A	C	D	Adjustment	
				X	Y
2	115	65	125	35	45
	165	65	125	35	45
	215	65	125	35	45
3	115	90	150	35	45
	165	90	150	35	45
	215	90	150	35	45
4	115	111	165	35	45
	165	111	165	35	45
	215	111	165	35	45

FLOOR CLEANOUT MODEL : 312B







- FLOOR CLEANOUT MODEL : 312B
- ADJUTSBLE
- COVER (BRASS)
- CAST IRON BODY WITH FLANGE
- SIZE 2, 3, 4

ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	A	C	D	Adjustment	
				X	Y
2	35	65	200	80	100
3	40	100	215	80	100
4	45	115	230	80	100

FLOOR CLEANOUT MODEL : 322







- FLOOR CLEANOUT MODEL : 322
- ADJUSTABLE BY THREAD
- COVER (BRASS WITH CHROME PLAITING FINISH)
- CAST IRON BODY WITH FLANGED AND CLAMP
- END CAP
- SIZE 2, 2-1/2, 3, 4, 6

ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	A	C	D	Adjustment	
				X	Y
2	80	135	225	30	60
21/2	80	135	225	30	60
3	80	135	225	30	60
4	75	210	280	30	60
6	75	210	280	30	60

FLOOR CLEANOUT MODEL : 322A





FLOOR CLEANOUT MODEL : 322A

- ADJUSTABLE BY THREAD
- BRASS COVER WITH CHROME PLATING FINISH
- CAST IRON BODY WITH FLANGED AND CLAMP
- END CAP
- SIZE 2, 2-1/2, 3, 4, 6, 8, 10

ADJUSTABLE STRAINER DIMENSION (IN MM)

Pipe Size Inch	A	C	D	Adjustment	
				X	Y
2	73	105	162	20	45
21/2	73	132	198	20	45
3	73	132	198	20	45
4	80	132	225	20	45
6	73	194	273	32	57
8	85	194	370	32	70
10	95	362	445	32	152



ห้างหุ้นส่วนจำกัด ที.ซี.พี. ไทยคาสท์มานูแฟคเจอริ่ง

T.C.P. THAI CAST MANUFACTURING LTD .,PART

365 ซอยจรัญสนิทวงศ์ 12 ถนนจรัญสนิทวงศ์ แขวงวัดท่าพระ
เขตบางกอกใหญ่ กรุงเทพฯ 10600
Tel. : +66 241 14391 , Fax : +66 241 14395